CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL









CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Av. offset vs chip



Av. offset



Max abs(Max,Min - Av.) offset vs chip



Max abs(Max,Min - Av.)



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL









CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Max. diff. slope vs chip



Max. diff. slope



Min. diff. slope vs chip



Min. diff. slope



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL









CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Slot 1 Chan. with min. offset vs chip



Slot 1 Chan. with min. offset



Slot 1 Chan. with max. offset vs chip



Slot 1 Chan. with max. offset



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Slot 2 Chan. with min. offset vs chip



Slot 2 Chan. with min. offset



Slot 2 Chan. with max. offset vs chip



Slot 2 Chan. with max. offset



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Slot 1 (Min.-Av.) offset vs chip



Slot 1 (Min.-Av.) offs



Slot 1 (Max.-Av.) offset vs chip



Slot 1 (Max.-Av.) offs



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL









CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Slot 1. Delay code for min. dif. slope vs chip



Slot 1. Delay code for min. dif. slope



Slot 1. Delay code for max. dif. slope vs chip



Slot 1. Delay code for max. dif. slope



CMS EMU CSC D16G Prod. Test. Trays 1-154. Group 4. CMU-FNAL

Slot 2. Delay code for min. dif. slope vs chip



Slot 2. Delay code for min. dif. slope



Slot 2. Delay code for max. dif. slope vs chip



Slot 2. Delay code for max. dif. slope